



# 4010/3012-DWR



**1(877) 901-1936**  
info@jettersonorthwest.com  
Jettersonorthwest.com





# 4010/3012-DWR

## KAWASAKI LIQUID-COOLED FUEL-INJECTED ENGINE

31-HP/824CC, V-TWIN, OHV,  
ELECTRIC KEY-START  
WITH RETRACTABLE ALUMINUM  
ENGINE ENCLOSURE



12-GALLON FUEL TANK  
EPA/CARB COMPLIANT

200-GALLON WATER  
TANK CAPACITY  
WITH 2-IN. FILL-PIPE  
WITH AIR-GAP  
(TOWABLE WHEN FULL)



HEAVY-DUTY TRAILER  
W/ ELECTRIC BRAKES  
WITH FLAT-TOP FENDERS  
FOR ADDITIONAL MOUNTING  
SURFACE & LED-LIGHTING



1(877) 901-1936  
info@jettersonorthwest.com  
Jettersonorthwest.com





# 4010/3012-DWR

## 400 FEET OF LOW-FRICTION JETTING HOSE

3/8" HOSE ON 4010 MODEL  
1/2" HOSE ON 3012 MODEL

## HIGH-VISIBILITY CONTROL PANEL

WIRELESS/MANUAL SELECTOR, PRESSURE GAUGE, PULSATION-CONTROL, ENGINE ON/OFF/THROTTLE, & HOSE-REEL CONTROLS

## 12V POWERED HOSE-REEL

WITH VARIABLE-SPEED & PIVOTING HOSE-GUIDE

## REMOTE CONTROL

ENGINE START/STOP, JETTING ON/OFF, & THROTTLE UP/DOWN

## EXTRA LARGE STORAGE BOXES

LOCKABLE (60"X 18"X 18")



**1(877) 901-1936**

info@jettersonorthwest.com  
Jettersonorthwest.com



## PERFORMANCE FEATURES

### 10-GPM / 4000-PSI (4010 MODELS)

Pump Performance

### 12-GPM / 3000-PSI (3012 MODELS)

Pump Performance

### WIRELESS REMOTE CONTROL ON "DWR" MODELS

Jetting On/Off, Engine Start/Stop, Throttle Up/Down & Reel Wind

### 200-GALLON WATER TANK CAPACITY

Float Valve In-Tank Prevents Overflowing

### 12V. POWERED HOSE REEL WITH VARIABLE SPEED

with Pivoting Hose Guide

### 400-FT. OF JETTING HOSE

3/8" on 4010 Model, 1/2" on 3012 Model

### 100-FOOT WATER SUPPLY HOSE ON 2ND REEL

3/4" I.D. Commercial-Duty Hose

### FUEL-INJECTED / LIQUID-COOLED V-TWIN ENGINE

824cc Kawasaki 31HP

### ODOR SUPER-DUTY PUMP WITH GEARBOX DRIVE

No Belts to Adjust or Replace

### PANEL MOUNTED PRESSURE GAUGE

Liquid-Filled

### HOT-WATER EAGLE 200-DWR/HOT (OPTIONAL)

Includes 5200 GVW Upgrade

## TRAILER FEATURES

### HEAVY-DUTY TRAILER, LIFETIME FRAME WARRANTY

Recessed LED Lighting and Reflective Markers

### 3500 GVW WITH ELECTRIC BRAKES

Towable When Full of Water

### 18" X 60" LOCKABLE STORAGE BOX

Over 11 cu./ft. Storage

### PROTECTIVE FRONT-END ENGINE SHIELD

Rust Free Aluminum

### 15" ALUMINUM WHEELS

Attractive 5-Spoke Design

### 12-GALLON FUEL TANK

CARB/EPA Compliant

### SAFETY LED BEACON LIGHT

for Job Site Safety

### A-FRAME TONGUE WITH HEAVY-DUTY JACK

Handy "Drop-Leg" Type

### INTEGRAL WATER TANK MOUNTING SADDLE

with Vertical Retaining Posts (Integral to Trailer Frame)

### STEP-STYLE FENDER SUPPORTS

with Back-Skirting to Deflect Debris

### 2" FAST-FILL PIPE WITH AIR GAP

Over Water Tank

## JETTING CONTROLS

### JETTING ON/OFF FLOW CONTROL

Wireless or Manual Control

### ENGINE START/STOP

Wireless or Manual Control

### THROTTLE (PRESSURE) UP/DOWN

Wireless or Manual Control

### HOSE REEL WIND/UNWIND (VARIABLE SPEED)

Wireless or Manual Actuation

### PRESSURE ADJUSTMENT UP/DOWN

Mounted at Control Station

### PULSATION CONTROL

Variable Intensity, Panel Mounted

## NOZZLES & ACCESSORIES

### 4 STAINLESS STEEL NOZZLES INCLUDED

Penetrator, Rotator, Pusher, & Flusher

### TIGER-TAIL HOSE GUIDE

for Jetting Hose Protection

### SAFETY-ORANGE LEADER HOSE

10 ft, 3/8" (4010 Model) or 1/2" (3012 Model)

### ANTI-TURNAROUND NOZZLE EXTENSION

Included for Safety in Larger Pipes

## AVAILABLE OPTIONS

### ANTI-FREEZE WINTERIZATION SYSTEM

Air-Purge Connection is Standard

### PORTABLE REELS, MINI-HOSES

and Other Jetting Accessories

### HIGH-PERFORMANCE NOZZLES

Warthog, Reaper, Grenade, Chain-Scraper, & More



**1(877) 901-1936**  
info@jettersnorthwest.com  
JettersNorthwest.com

