



# 4020-DWR



**1(877) 901-1936**  
info@jettersonorthwest.com  
Jettersonorthwest.com





# 4020-DWR

**300-GALLON WATER TANK CAPACITY**

TOWABLE WHEN FULL  
2" FAST-FILL PIPE WITH AIR-GAP  
100 FT. FILL-HOSE / REEL

**500 FEET OF LOW-FRICTION JETTING HOSE**

1/2" - 5500 PSI RATES  
(600 FT. CAPACITY REEL)



**HEAVY-DUTY TRAILER W/ ELECTRIC BRAKES**  
WITH FLAT-TOP FENDERS FOR ADDITIONAL MOUNTING SURFACE & LED-LIGHTING


**CONTROL CENTER**  
ENGINE & JETTING CONTROL  
PRESSURE GAUGE  
PULSATION-CONTROL  
PRESSURE REGULATOR  
PANEL SWIVELS WITH HOSE



**1(877) 901-1936**  
info@jettersonorthwest.com  
Jettersonorthwest.com



# 4020-DWR



**DUAL LIQUID-COOLED  
FUEL-INJECTED ENGINES**  
31-HP KAWASAKI V-TWIN OHV WITH  
ELECTRIC KEY-START

**LOW-PROFILE DESIGN FOR SAFE  
OPERATOR VISIBILITY**  
PROTECTIVE, RUST-FREE ENGINE ENCLOSURE  
ALUMINUM CONSTRUCTION WITH HOOD



**REMOTE CONTROL**  
ENGINE START/STOP,  
JETTING ON/OFF,  
& THROTTLE UP/DOWN



**EXTRA LARGE  
STORAGE BOXES**  
LOCKABLE (60"X 18"X 18")



**1(877) 901-1936**  
info@jettersonorthwest.com  
Jettersonorthwest.com



## PERFORMANCE FEATURES

**20-GPM / 4000-PSI**  
Pump-Performance

**300-GALLON WATER TANK CAPACITY**  
Optional 600-Gallon Tandem-Axle Models Available

**WIRELESS REMOTE CONTROL**  
Jetting On/Off, Engines Start/Stop, Throttle Up/Down, & Reel-Wind

**DUAL FUEL-INJECTED ENGINES**  
Liquid-Cooled Kawasaki 824cc V-Twin OHV Engines

**DUAL UDOR SUPER DUTY PUMPS WITH GEARBOX-DRIVE**  
No Belts to Adjust or Replace

**500-FT. OF JETTING HOSE**  
1/2" I.D., Aramid Reinforced 5500-PSI Rated (600' optional)

**HOSE-REEL WITH 180° ROTATING BASE**  
12-Volt Ultra-Torque Design w/Variable-Speed Control

**100-FT. WATER-SUPPLY HOSE ON 2ND REEL**  
3/4" I.D. Commercial-Duty Hose

**2" FAST-FILL PIPE WITH AIR GAP**  
over Water-Tank

**DUAL FENDER-MOUNTED STORAGE BOXES**  
Lockable 36-in. x 15-in. x 13-in. (each)

**12-GALLON FUEL TANK**  
CARB/EPA Compliant

## TRAILER FEATURES

**HEAVY DUTY TRAILER**  
with Aluminum Wheels

**LIFETIME FRAMEWORK WARRANTY**  
5" X 2" Tubular Steel Frame

**TOWABLE WHEN FULL OF WATER**  
5,200-GVW Rating (9,900 GVW on 600-Gallon Models)

**PROTECTIVE FRONT-END ENCLOSURE**  
Rust-Free Aluminum with Lockable Hood

**ELECTRIC BRAKING SYSTEM**  
with Safety "Break-Away" Actuator

**A-FRAME TONGUE WITH HEAVY-DUTY JACK**  
Handy "Drop-Leg" Type

**ADJUSTABLE-HEIGHT HITCH (5-POSITION)**  
with 2-5/16" Ball Coupler (Pintle Style optional)

**STEP-STYLE FENDER SUPPORTS**  
with Back-Skirting to Deflect Debris

**INTEGRAL WATER-TANK MOUNTING-SADDLE**  
with Vertical Retaining Posts (Integral to Trailer-Frame)

**RECESSED LED LIGHTING**  
and Reflective Labeling

**SAFETY LED BEACON LIGHT**  
and 12-Volt Auxiliary Outlet

## JETTING CONTROLS

**JETTING ON/OFF FLOW-CONTROL**  
Wireless or Manual Control

**ENGINE START/STOP**  
Wireless or Manual Control

**THROTTLE (PRESSURE) UP/DOWN**  
Wireless or Manual Control

**HOSE REEL WIND/UNWIND (VARIABLE SPEED)**  
Wireless or Manual Reel Actuation

**PRESSURE ADJUSTMENT VALVE AND GAUGE**  
Panel-Mounted (Swivels with Reel)

**PULSATION CONTROL**  
Variable Intensity, Panel Mounted

## NOZZLES & ACCESSORIES

**4 STAINLESS STEEL NOZZLES INCLUDED**  
Penetrator, Rotator, Pusher, & Flusher

**TIGER-TAIL HOSE-GUIDE**  
for Jetting-Hose Protection

**SAFETY-ORANGE LEADER-HOSE**  
10-ft. x 1/2-in.

**ANTI-TURNAROUND NOZZLE-EXTENSION**  
Included for Safety in Larger Pipes

## AVAILABLE OPTIONS

**ANTI-FREEZE WINTERIZATION SYSTEM**  
Air-Purge Connection is Standard

**PORTABLE-REELS, MINI-HOSES,**  
and Other Jetting Accessories

**HIGH-PERFORMANCE NOZZLES**  
Warthog, Reaper, Grenade, Chain-Scraper, & more



**1(877) 901-1936**  
info@jettersnorthwest.com  
JettersNorthwest.com

